


STONETEK



2 X 4"
4 X 8"
3D
LUX

ULTRASTONE
COLLECTION



*ULTRASTONE is a **Natural Stone Veneer** that has all the feel and looks of a solid Stone Slab with extremely less weight and just **1/8-1/16" thick approx.***





STONETEK



Color
Ocean Black
Sizes:
2x4', 4x8'
-2x4' LUX
Thickness:
1/8-1/16"
-1/8-1/4"

Panel dimensions



NATURAL


STONE

STONETEK



Color
Deoli
Sizes:
2x4', 4x8'
-2x4' LUX
Thickness:
1/8-1/16"
-1/8-1/4"

Panel dimensions





NATURAL
STONE

STONETEK



Color
Jeera Green
Sizes:
2x4', 4x8'
-2x4' LUX
Thickness:
1/8-1/16"
-1/8-1/4"

Panel dimensions



NATURAL



STONE

STONETEK



Color
Copper
Sizes:
2x4', 4x8'
-2x4' LUX
Thickness:
1/8-1/16"
-1/8-1/4"

Panel dimensions



NATURAL



STONE

STONETEK



Color
Indian Autumn
Sizes:
2x4', 4x8'
-2x4' LUX
Thickness:
1/8-1/16"
-1/8-1/4"

Panel dimensions





NATURAL
STONE

STONETEK



Color
Silver Shine
Sizes:
2x4', 4x8'
-2x4' LUX
Thickness:
1/8-1/16"
-1/8-1/4"

Panel dimensions



NATURAL



STONE

STONETEK



Color
Ocean
Sizes:
2x4', 4x8'
Thickness:
1/8-1/16"

Panel dimensions



NATURAL
STONE


STONETEK



Color
Steel Gray
Sizes:
2x4'

Thickness:
1/8-1/16"

Panel dimensions




**NATURAL
STONE**

STONETEK



Color
Golden
Sizes:
2x4'
Thickness:
1/8-1/16"

Panel dimensions



NATURAL
STONE


STONETEK



Color
Autumn Cream
Sizes:
2x4'

Thickness:
1/8-1/16"

Panel dimensions



NATURAL
STONE


STONETEK



Color
Shimmer Black
Sizes:
2x4'

Thickness:
1/8-1/16"

Panel dimensions



NATURAL
STONE


STONETEK



Color
Multicolor
Sizes:
2x4'

Thickness:
1/8-1/16"

Panel dimensions



NATURAL
STONE


STONETEK



Color
Grey Beauty
Sizes:
2x4'

Thickness:
1/8-1/16"

Panel dimensions





NATURAL
STONE

STONETEK



Color
Forest Fire
Sizes:
2x4'
-2x4' LUX
Thickness:
1/8-1/16"
-1/8-1/4"

Panel dimensions



NATURAL


STONE

STONETEK



Color
Artic White
Marble
Sizes:
2x4'
Thickness:
1/8-1/4"

Panel dimensions




NATURAL
STONE

STONETEK



Color
Shine Copper
Sizes:
2x4'
Maxi 4x8'
Thickness:
1/8-1/4"

Panel dimensions




NATURAL
STONE

STONETEK



Color
Sagar Black
Marble
Sizes:
2x4'
Maxi 4x8'
Thickness:
1/8-1/4"

Panel dimensions




NATURAL
STONE

STONETEK



Color
Cosmos
Marble
Sizes:
2x4'
Maxi 4x8'
Thickness:
1/8-1/4"

Panel dimensions




NATURAL
STONE

STONETEK



Color
Moonsum Black
Marble
Sizes:
2x4'
Maxi 4x8'
Thickness:
1/8-1/4"

Panel dimensions



NATURAL
STONE

STONETEK

3D PANELS



Color
Forest Fire



Color
Ocean Black



Color
Silver Grey

Presentation: Peel & Stick **Sizes:** 12x24" **Thickness:** 1/8-1/4"



GENERAL INFO

Description:

ULTRASTONE is a flexible veneer laminated to a fiberglass and polyester resin substrate, made of a thin layer of real stone: Slate, Quartzite, Sandstone, Marble.

This innovative product can be applied over concrete, ceramic, wood, metal, plywood, fiberglass, backer board, tile, dry wall, MDF, HPL, cabinetry and many other surfaces.

Natural Stone Veneer has been tested as a covering veneer in many different environments, proving to be an excellent material when a real stone finish is desired, but heavy solid stone might not be practical. ULTRASTONE is suitable for both, indoors and outdoors.

Suggested applications:

Interiors and exteriors, walls, furniture, kitchen or closet cabinets, doors, ceilings, limited weight applications in boats, airplanes, cars, elevators, round columns, lobbies, and any place your imagination can think of.

Installation tips:

Application of Ultrastone can be performed using basic tools, traditionally used to install tiles.

Cutting: Cutting straight lines and curves is best done using long nosed tin snips. Ultrastone can also be cut with a metal shear, wet saw, or table saw with carbide or diamond blade.

Sealers:

It is best to pre-seal Ultrastone sheets prior to the installation. This protects and seals the face from adhesives and grout during application and handling. Ultrastone can be sealed with the same sealers used for stone.

GENERAL INFO

Adhesives:

Use the proper adhesive following the manufacturer's instructions according to the substrate to be applied. Examples: Acrylic copolymer, Polyurethane wood glues, PU construction grade adhesives, highly modified thin-set, Epoxy, construction grade multi-purpose adhesive, latex modified thin set.

Colors:

Since Ultrastone is a product of nature, color and texture variances are inherent to each particular stone and part of the natural beauty of quarried materials.

Ultrastone can't be guaranteed to match dye-lot to dye-lot. We present 15 colors out of a great range of more than 22 available. For larger projects we can supply with a time frame a matching lot from same quarrying to facilitate the installation.

Sizes:

2 x 4' | 1/16" - 1/8"

MAXI: 4 x 8' (selected colors) | 1/16" - 1/8"

Translucent sheets of 2 x 4' LUX (selected colors) | 1/8" - 1/4"

LUX:

The LUX series is a veneer with an acrylic translucent backing which allows the light go through from the back for an impressive and unique effect. This presentation is more rigid than the other, for easier framing and installation. Ideal to be used in accent walls with a backlight that will enhance and produce indirect light through the natural stone structure and color.





CABINETS



LOBBIES



POTTERY

P.25 STONETEK



WALLS



TV WALLS



WALL UNITS



KITCHEN CABINETS




BATHROOMS



POWDER ROOMS



BEDROOMS



LUX



STONETEK

1583 NW 159 TH ST MIAMI GARDENS, FL, 33169

(954) 964 7606

INFO@STONETEK.US

WWW.STONETEK.US